Cherwell League Grounds Criteria

PROPOSED CRITERIA TO BE MET FOR THE RESPECTIVE DIVISIONS

M = Mandatory O = Optional M*= Room for movement

Pitch and Square Able to support 100 over matches True and predictable bounce Good carry and/or bounce throughout the match No excessive spin or movement off the seam Correctly marked Remarked/repaired during intervals Number of wickets Well maintained and in good condition Cut before each match Previously used wickets repaired **Outfield and Boundary** Well maintained and drained Closely mown with no noticable grass cuttings No holes, ruts or other hazards Clearly marked with white line and markers every 20 yards or a rope Minimum 40 yards (measured as per 30 yard circle)

- Sight Screens Two screens should be provided at both ends of the ground One screen should be provided at both ends of the ground Suitable size and in good condition and easy to move Positioned before start of play Completely outside the playing area
- Scorebox Clean, tidy and adequate for pupose Allows good communication between umpires and scorers Displays all the required information Displays Duckworth/Lewis par score Non electronic - numbers accessible and in working order Electronic - operating instructions readily available Electricity available WiFi available Visible from pavilion / players viewing area

Ground General


Pitch


Square

Outfield

Boundary

- Covers Adequate covers available to cover pitch and adjacent areas and well maintained Dome covers or equivalent Bowlers run ups should be covered to a minimum of ten metres Sawdust / towels available Mop up machine in good condition available Crease markings to be re-done at each playing interval Equipment Roller available for use during match Light and heavy rollers available
- Surrounds Well maintained Ground clearly signed Seating for spectators in good condition







| Μ | Μ | Μ | 0 | |
|---|---|----|---|--|
| М | М | M* | 0 | |

| Μ | М | M* | 0 | |
|--------|---|----|---|--|
| M M | Μ | М | М | |
| Μ | Μ | М | 0 | |
| Μ | Μ | М | М | |
| Μ | М | М | 0 | |

| Μ | М | М | 0 | |
|---|---|----|---|--|
| Μ | M | M | 0 | |
| Μ | M | M | М | |
| Μ | M | M | 0 | |
| Μ | M | M | М | |
| Μ | M | 0 | 0 | |
| Μ | M | M | 0 | |
| Μ | M | M* | 0 | |
| Μ | M | M | М | |
| | | | | |

| М | М | М | М | |
|---|---|---------|---|--|
| M | М | M M* | 0 | |
| М | M | 0 | 0 | |
| М | M | М | М | |
| М | М | M* M | 0 | |
| M | М | М | М | |





Car Parking

Adequate on site parking available Car park and approaches in good condition

Practice Facilities

Artificial nets regularly maintained Net available for each side before the match

Changing Facilities


| Dressing Rooms | Separate facilities for visiting team |
|----------------|---------------------------------------|
| | Maintained in a good clean condition |
| | Adequate size and facilities |
| | Suitable security and privacy |
| | Easy access from playing area |
| | |

- Umpires Room Separate and secure room Adequate size and facilities Maintained in a good clean condition Private access to showers
- Showers and Toilets Showers clean, hygienic and with suitable privacy Minimum 4 communal or 2 per changing room Toilets clean, hygienic and with suitable facilities Both Male and Female facilities available Accessible by spectators

Pavilion/Clubhouse

| Hospitality | Meal areas adequate and in good condition Adequate refreshments facilities Bar staffed and open |
|--|---|
| Kitchen | Clean, hygienic and meets legal requirements Adequate crockery and cutlery in good condition Suitable storage and food preparation facilities |
| First Aid | Well stocked first aid box available Qualified first aider available |
| <u>General Facilities</u> Telephone Bell | Public telephone in working order Available to signal start and resumption of play |

| reiepriorie | Fublic telephone in working order |
|--------------|--|
| Bell | Available to signal start and resumption of play |
| Clock | Large working clock suitably sited |
| Viewing Area | Seating for players use |



| М | М | М | M* | |
|---|---|----|----|--|
| М | М | M | M | |
| М | М | M | M* | |
| М | М | M | М | |
| М | М | M* | 0 | |

| М | М | M | | 0 | |
|-------------|---|---|---|---|--|
| Μ | Μ | M | | 0 | |
| M M M | М | M | | 0 | |
| M* | М | M | 1 | 0 | |

| М | М | М | 0 | |
|---|---|----|----|--|
| Μ | М | М* | 0 | |
| Μ | М | М | М | |
| Μ | М | М | М | |
| Μ | М | М | M* | |

| М | Ν | Λ | Μ | M* |
|---|---|---|---|----|
| Μ | N | Λ | 0 | 0 |
| 0 | C |) | 0 | 0 |

| Μ | М | М | M* | |
|---|---|----|----|--|
| Μ | М | M* | 0 | |
| Μ | М | M* | 0 | |

| М | | Μ | М | | М | |
|---|--|---|---|---|---|--|
| Μ | | Μ | M | ł | 0 | |

| 0 | 0 | | 0 | 0 | |
|---|---|---|---|----|--|
| 0 | 0 | 1 | 0 | 0 | |
| Μ | Μ | | Μ | М | |
| Μ | M | | М | M* | |